





RADIONUCLIDES**VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE****SEMI-VOLATILE ORGANIC COMPOUNDS NO DATA AVAILABLE****METALS & PHYSICAL PARAMETERS**

WELLNAME=199-D4-23 WELLID=B8779

Well Type=STANDARD Well purpose=GROUNDWATER
 Owner=DOE Contact=BHI Well Adv=Compliance=COMPLIANT
 Well Construction Date= 6/4/1999
 X_coor= 572672.50 Y_coor= 151592.90 Datum=NAD83(91) Date Survey= 8/12/1999
 Elevation= 141.004 Datum=NAVD88 Date Survey=08/12/99
 Ref Point Desc=TOP OF CASING Ref Point side=NONE Contractor=ROGERS
 Well Comment= Well completed 6/4/99 ISRM Well
 Total Number of Screen Intervals=1
 Screen#=1 Screen_diam= 4.00 in Top= 19.60 Bottom= 25.69 m Slot_size= 0.00
 Screen_material=Stainless Steel


LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:
 EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag

DOE HANFORD SITE - GROUNDWATER QUALITY DATA PLOTS


wellseries-100-199 WELL#=199-D4-23

METALS & PHYSICAL PARAMETERS



PEST/PCB, HERB, & DIOXINS NO DATA AVAILABLE

GENCHEM & ORGANICS & GENORGANICS



LABORATORY QUALIFIER FLAGS in HEIS are *, >, B, C, D, E, J, L, P, Q, R, W, X, Y, and Z: Review Document. Main Flags are : J=Estimated value:L=Value between IDL and CRQL (estimated):T=Tentatively identified compound:
EPA-IGR=EPA-Implementation Guidance for Radionuclides: WAC=Washington Administrative Code:

EXPLANATION: THICK FILLED BARS=Value Above Detection Limit:THIN BARS=Value Below Detection Limit:HATCHED BARS=Value With Data Qualifier Flag